

Adding  to Geotab Drive

Logging into your Geotab Account



- Head to My.Geotab.com
- Enter your login credentials
- Note: If your Username is not an email address you may need to hit the options button and enter in your database name.

[Options](#)

New customer? [Register](#)

myGEOTAB™


User (Email)

Next

Remember me

Assessing the Add-in section in Geotab


- Locate the Administrations tab on the left side.



Assessing the Add-in
section in Geotab
continued




- Select System



Assessing the Add-in
section in Geotab
continued



- Select System Settings



Assessing the Add-in section in Geotab continued



- Select the Add-ins tab on the top of the bar
- Select New Add-In. Window will open with the Add-In configuration file:

Note: Make sure the Allow Unsigned Add-Ins is turn on

The screenshot shows the 'System Settings' page for 'Add-Ins'. At the top left is a 'Save' button. The page title is 'System Settings' with a 'Show help' button. A navigation bar contains tabs: 'General', 'Maps', 'User Account Policy', 'Add-Ins' (selected), 'Purge', 'Marketplace', 'Certificates', 'Support', 'Privacy Settings', and 'Route Completion'. A pink warning banner states: 'You have allowed unsigned Add-Ins to run on your system. Unsigned Add-Ins have full access to your system, and should only be enabled if you created the Add-Ins, and performed a security audit.' Below this, the 'ADD-INS' section has a toggle for 'Allow unsigned Add-Ins:' set to 'On'. A 'New Add-In' button is visible. A table lists installed add-ins:

Add-In Name	Status
Drive Fuel Tracker (by Geotab)	unsigned
VideoProtects	unsigned
Surfsight	

Placing the Add-In

- Start by first removing the old file
- Paste in the new file that you would like to Add-In
- Once the file has been added press okay to continue



The screenshot shows a window titled "Add-In" with a close button (X) in the top right corner. Below the title bar, there are two tabs: "Configuration" (which is selected and highlighted in blue) and "Files".

Under the "Configuration" tab, there is a text area with the following instructions: "Add-In configuration file: Drag your ZIP-archived Add-In or Add-In configuration file here". Two orange arrows point from this text area to the JSON code in the editor below.

```
{
  "name": "Drive",
  "supportEmail": "support@geotab.com",
  "version": "1.2.1",
  "items": [
    {
      "url": "https://gist.githubusercontent.com/wavded/c24cdaaafb4df026458654bf85240ee5/raw/index.html",
      "path": "DriveAppLink/",
      "menuName": {
        "en": "DQM Connect"
      }
    }
  ],
  "isSigned": false
}
```

At the bottom right of the window, there are two buttons: a "Remove" button and a blue "OK" button. A long orange arrow points from the bottom of the JSON editor area to the "OK" button.

Completed Add-In



- A successfully saved Add-In should appear in the list in blue.

Save

System Settings Show help

General Maps User Account Policy **Add-Ins** Purge Marketplace Certificates Support Privacy Settings Route Completion

You have allowed unsigned Add-Ins to run on your system. Unsigned Add-Ins have full access to your system, and should only be enabled if you created the Add-Ins, and performed a security audit.

ADD-INS

Allow unsigned Add-Ins: On Off

New Add-In

Drive Fuel Tracker (by Geotab) - unsigned
VideoProtects - unsigned
Surfsight
Drive - unsigned

Additional Web Recourses from the Geotab Community

[How to install/add an add-In manually Into a MyGeotab database](#)

[How to uninstall/remove an add-in from a MyGeotab database](#)

